

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	carlier-v\$.in.	US-PGPUB; USPAT	OR	OFF	2007/06/06 13:03
S2	2	chabanne-h\$.in.	US-PGPUB; USPAT	OR	OFF	2007/06/06 13:04
S3	1	dottax.in.	US-PGPUB; USPAT	OR	OFF	2007/06/06 13:04
S4	261	sagem.as.	US-PGPUB; USPAT	OR	OFF	2007/06/06 13:04
S5	10546	(protect\$3 secur\$3) with (crypto\$7 encrypt\$3) with (procedure algorithm step)	US-PGPUB; USPAT	OR	ON	2007/06/06 13:06
S6	4364	(protect\$3 secur\$3) with (crypto\$7 encrypt\$3) adj (procedure algorithm step)	US-PGPUB; USPAT	OR	ON	2007/06/06 13:06
S7	628	(protect\$3 secur\$3) near2 (crypto\$7 encrypt\$3) adj (algorithm)	US-PGPUB; USPAT	OR	ON	2007/06/06 13:06
S8	107	(protect\$) near2 (crypto\$7 encrypt\$3) adj (algorithm)	US-PGPUB; USPAT	OR	ON	2007/06/06 13:06
S9	107	(protect\$3) near2 (crypto\$7 encrypt\$3) adj (algorithm)	US-PGPUB; USPAT	OR	ON	2007/06/06 13:06
S10	77	(protect\$3) near2 (crypto\$7 encrypt\$3) adj (algorithm) and (@ad< "20031017" @prad< "20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 13:59
S11	65	(compromis\$3) with (crypto\$7 encrypt\$3) adj (algorithm) and (@ad< "20031017" @prad< "20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 13:15
S12	4	(("6934887") or ("6282290") or ("5991415") or ("6092229")).PN.	USPAT	OR	OFF	2007/06/06 13:57
S13	0	(delet\$3 eras\$3 destroy\$3) near2 (crypto\$7 encrypt\$3) adj (algorithm) with compromis \$3 and (@ad< "20031017" @prad< "20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 14:00
S14	0	(delet\$3 eras\$3 destroy\$3) with (crypto\$7 encrypt\$3) adj (algorithm) with compromis\$3 and (@ad< "20031017" @prad< "20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 14:01

S15	0	(delet\$3 eras\$3 destroy\$3) with (crypto\$7 encrypt\$3) adj (algorithm formula) with compromis\$3 and (@ad< "20031017" @prad< "20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 14:01
S16	2	(delet\$3 eras\$3 destroy\$3) same (crypto\$7 encrypt\$3) adj (algorithm formula) with compromis\$3 and (@ad< "20031017" @prad< "20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 14:02
S17	561690	(delet\$3 eras\$3 destroy\$3) memory and (crypto\$7 encrypt\$3) adj (algorithm formula) with compromis\$3 and (@ad< "20031017" @prad< "20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 14:02
S18	5	(delet\$3 eras\$3 destroy\$3) with memory and (crypto\$7 encrypt\$3) adj (algorithm formula) with compromis\$3 and (@ad< "20031017" @prad< "20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 14:12
S19	0	(delet\$3 eras\$3 destroy\$3) with (DES AES 3DES crypto\$7 encrypt\$3) adj (algorithm formula) with compromis\$3 and (@ad< "20031017" @prad< "20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 14:13
S20	61	(delet\$3 eras\$3 destroy\$3) with (DES AES 3DES crypto\$7 encrypt\$3) adj (algorithm formula) and (@ad< "20031017" @prad< "20031017")	US-PGPUB; USPAT	OR	ON	2007/06/06 14:13
S21	1	("2004/0187035").URPN.	USPAT	OR	OFF	2007/06/06 14:28
S22	3	((("6374354") or ("6925562") or ("7124170"))).PN.	USPAT	OR	OFF	2007/06/06 14:30
S23	11190	(ECM EMM)	US-PGPUB; USPAT	OR	OFF	2007/06/06 16:46
S24	74	(ECM EMM).ti.	US-PGPUB; USPAT	OR	OFF	2007/06/06 16:47
S25	402	entitlement near control near message	US-PGPUB; USPAT	OR	OFF	2007/06/06 16:47
S26	24	(entitlement near control near message).ab.	US-PGPUB; USPAT	OR	OFF	2007/06/06 16:47

S27	8	(split\$4 divid\$3 half halving separa\$4) with (encrypt\$3 cryptograph\$2) near (method algorithm procedure formula process) with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:03
S28	9	(split\$4 divid\$3 half halving separa\$4) with (encrypt\$3 cryptograph\$2) near (method algorithm procedure formula process) with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:14
S29	2	(encrypt\$3 cryptograph\$2) near (method algorithm procedure formula process) with (two multiple) adj polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:09
S30	3	(encrypt\$3 cryptograph\$2) near (method algorithm procedure formula process) with combin\$3 with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:09
S31	3	(encrypt\$3 cryptograph\$2) near (method algorithm procedure formula process) with combin\$4 with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:10
S32	7	(transfer\$4 send\$3 transmit \$4) with (encrypt\$3 cryptograph\$2) near (method algorithm procedure formula process) with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:10
S33	83	(split\$4 divid\$3 half halving separa\$4) with (encrypt\$3 cryptograph\$2) near (method algorithm procedure formula process) with (transfer\$4 send \$3 transmit\$4)	US-PGPUB; USPAT	OR	ON	2008/01/02 17:20
S34	0	(split\$4 divid\$3 half halving separa\$4) with (encrypt\$3 cryptograph\$2) near (method algorithm procedure formula process) with (transfer\$4 send \$3 transmit\$4) with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:21
S35	1167	(protect\$3 secur\$3) with (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) with (transfer \$4 send\$3 transmit\$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:26
S36	765	(split\$4 divid\$3 half halving separa\$4) with (method algorithm procedure formula process) with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:25

S37	1	S35 and S36	US-PGPUB; USPAT	OR	ON	2008/01/02 17:21
S38	3099	(split\$4 divid\$3 half halving separa\$4) with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:26
S39	2292	(split\$4 divid\$3 half halving separa\$4) near6 polynomial	US-PGPUB; USPAT	OR	ON	2008/01/02 17:26
S40	1	S35 and S39	US-PGPUB; USPAT	OR	ON	2008/01/02 17:27
S41	2	S35 and S38	US-PGPUB; USPAT	OR	ON	2008/01/02 17:27
S42	1	S35 and S38 not S40	US-PGPUB; USPAT	OR	ON	2008/01/02 17:27
S43	18	(protect\$3 secur\$3) with (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) with (transfer \$4 send\$3 transmit\$4) with (split\$4 divid\$3 half halving separa\$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:32
S44	5	(install\$5 enabl\$5 embed\$4 deriv\$5) with (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/03 10:44
S45	70	(encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) with polynomial	US-PGPUB; USPAT	OR	ON	2008/01/03 10:44
S46	65	(encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) with polynomial not S44	US-PGPUB; USPAT	OR	ON	2008/01/03 10:46
S47	3803	(transfer\$4 send\$3 transmit \$3) with (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:46
S48	196	(transfer\$4 send\$3 transmit \$3) adj2 (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:46
S49	0	(transfer\$4 send\$3 transmit \$3) adj2 (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) same (polynomial\$2 algebraic\$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:47

S50	5	(transfer\$4 send\$3 transmit \$3) adj2 (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) and (polynomial\$2 algebraic\$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:50
S51	5	(transfer\$4 send\$3 transmit \$3) adj2 (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) and (polynomial\$2 algebraic\$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:47
S52	2666062	(transfer\$4 send\$3 transmit \$3) adj5 (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) and (polynomial\$2 algebraic\$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:50
S53	73	(transfer\$4 send\$3 transmit \$3) adj5 (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) and (polynomial\$2 algebraic\$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:52
S54	0	(transfer\$4 send\$3 transmit \$3) adj5 (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) same (polynomial\$2 algebraic\$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:51
S55	4	(distribut\$3) adj5 (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) and (polynomial\$2 algebraic\$4)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:53
S56	20	(distribut\$3) adj (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process)	US-PGPUB; USPAT	OR	ON	2008/01/03 10:53
S57	20	(distribut\$3) adj (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) not S55	US-PGPUB; USPAT	OR	ON	2008/01/03 10:59
S58	0	("7110548").URPN.	USPAT	OR	OFF	2008/01/03 10:57

S59	24	("4982429" "5103479" "5155680" "5185796" "5222139" "5355413" "5509072" "5594798" "5657390" "5679984" "5689566" "5781654" "5812671" "5857025" "5898784" "6058478" "6076167" "6181814" "6182076" "6230186" "6230267" "6590588" "RE36946" "RE38070").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/03 10:57
S60	40	(updat\$3) adj (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) not S55	US-PGPUB; USPAT	OR	ON	2008/01/03 10:59
S61	36	(updat\$3) adj (encrypt\$3 cryptograph\$2) adj (method algorithm procedure formula process) not S57	US-PGPUB; USPAT	OR	ON	2008/01/03 11:05
S62	20	turing adj comput\$5	US-PGPUB; USPAT	OR	ON	2008/01/03 11:05
S63	0	("7162032").URPN.	USPAT	OR	OFF	2008/01/03 11:16
S64	295	polynomial adj algorithm	US-PGPUB; USPAT	OR	ON	2008/01/03 11:16
S65	827	polynomial adj2 algorithm	US-PGPUB; USPAT	OR	ON	2008/01/03 11:16
S66	7	polynomial adj2 (encrypt\$3 cryptograph\$6) adj algorithm	US-PGPUB; USPAT	OR	ON	2008/01/03 11:39
S67	31	NTRU! near encrypt\$3	US-PGPUB; USPAT	OR	ON	2008/01/03 11:39
S73	1	domain near (authenticat\$3 authori\$6 verif\$7 valid\$5) same group near key	US-PGPUB; USPAT	OR	ON	2008/01/03 14:13
S74	1754	domain near (authenticat\$3 authori\$6 verif\$7 valid\$5)	US-PGPUB; USPAT	OR	ON	2008/01/03 14:13
S75	134	domain near (authenticat\$3 authori\$6 verif\$7 valid\$5) with key	US-PGPUB; USPAT	OR	ON	2008/01/03 14:13
S76	81	domain adj (authenticat\$3 authori\$6 verif\$7 valid\$5) with key	US-PGPUB; USPAT	OR	ON	2008/01/03 14:13
S77	182	factor\$3 adj polynomial	US-PGPUB; USPAT	OR	ON	2008/07/21 17:39
S78	191	factor\$3 adj (polynomial ((encrypt\$3 crypto\$1graph\$6) adj (equation algorithm formula)))	US-PGPUB; USPAT	OR	ON	2008/07/21 17:39
S79	9	S78 not S77	US-PGPUB; USPAT	OR	ON	2008/07/21 17:40

S80	37	factoring adj (polynomial ((encrypt\$3 crypto\$1graph\$6) adj (equation algorithm formula)))	US-PGPUB; USPAT	OR	ON	2008/07/21 17:40
S81	0	factoring adj (polynomial ((encrypt\$3 crypto\$1graph\$6) adj (equation algorithm formula))) not S80	US-PGPUB; USPAT	OR	ON	2008/07/21 17:40
S82	37	factoring adj (polynomial ((encrypt\$3 crypto\$1graph\$6) adj (equation algorithm formula))) not S79	US-PGPUB; USPAT	OR	ON	2008/07/21 17:40
S83	3	((encrypt\$3 crypto\$1graph\$6) adj (equation algorithm formula)) with quadratic	US-PGPUB; USPAT	OR	ON	2008/07/21 17:47
S84	880	combin\$5 with quadratic	US-PGPUB; USPAT	OR	ON	2008/07/21 17:53
S85	99	combin\$5 adj quadratic	US-PGPUB; USPAT	OR	ON	2008/07/21 17:53
S86	8033	(split\$4 divid\$3 half halving) with (method algorithm procedure formula process) with (protect\$3 secur\$3)	US-PGPUB; USPAT	OR	ON	2009/05/08 12:44
S87	54	(split\$4 divid\$3 half halving) with encryption near2 (method algorithm procedure formula process) with (protect\$3 secur\$3)	US-PGPUB; USPAT	OR	ON	2009/05/08 12:44
S88	54	(split\$4 divid\$3 half halving) with encryption near2 (method algorithm procedure formula process) with (protect\$3 secur\$3)	US-PGPUB; USPAT	OR	ON	2009/05/08 12:48
S89	2088	(split\$4 divid\$3 half halving factor\$3) adj5 (method algorithm procedure formula process) with (protect\$3 secur\$3)	US-PGPUB; USPAT	OR	ON	2009/05/08 12:56
S90	1271	(split\$4 divid\$3 half halving factor\$3) adj3 (method algorithm procedure formula process) with (protect\$3 secur\$3)	US-PGPUB; USPAT	OR	ON	2009/05/08 12:57
S91	22	(split\$4 divid\$3 half halving factor\$3) adj3 (method algorithm procedure formula process) with (protect\$3 secur\$3) same encrypt\$3 near3 (method algorithm procedure formula process)	US-PGPUB; USPAT	OR	ON	2009/05/08 12:57

S92	143	(factor\$3) adj (method algorithm procedure formula process) with (protect\$3 secur \$3)	US-PGPUB; USPAT	OR	ON	2009/05/08 13:01
S93	13	(factor\$3) adj (method algorithm procedure formula process) with (protect\$3 secur \$3) same encrypt\$3 with (method algorithm procedure formula process)	US-PGPUB; USPAT	OR	ON	2009/05/08 13:02
S94	8	(factor\$3) adj (method algorithm procedure formula process) with (protect\$3 secur \$3) same encrypt\$3 with (method algorithm procedure formula process) not S91	US-PGPUB; USPAT	OR	ON	2009/05/08 13:02
S95	10	(factor\$3 not factory) adj (method algorithm procedure formula process) with (protect \$3 secur\$3) and encrypt\$3 with (method algorithm procedure formula process) not S93	US-PGPUB; USPAT	OR	ON	2009/05/08 13:03
S96	1798	380/28.ccls.	US-PGPUB; USPAT	OR	ON	2009/05/08 13:45
S97	1937	713/189.ccls.	US-PGPUB; USPAT	OR	ON	2009/05/08 13:46

5/ 8/ 09 3:06:16 PM

C:\ Documents and Settings\ claforgia\ My Documents\ EAST\ Workspaces\ 10574909.wsp